DATE: \_\_\_\_\_

# **APPROVAL SPECIFICATION**



microgate 麦建科技

PRODUCT NAME: SMD power inductor

YOUR PART NO.:

OUR PART NO.: AMPIT3012 Series

VERSION: V1.0

RECEPTION	x	Y				
THE SPECIFIC	CATION HAS BEEN	ACCEPTED.				
COMPANY: DATE:						
CFMD	СНКД	RCVD				

MANUFACTURING NAME

SHENZHEN MICROGATE TECHNOLOGY CO., LTD
Address: Microgate Smart Park, Technology Road,
Zhukeng Community, Longtian Street, Pingshan
District, Shenzhen.
Postcode: 518122
TEL: 86-755-28085000
FAX: 86-755-28085605

CFMD.	CHKD.	DSGD.
Remo	Hongpei Ding	Wei Liu



# CATALOG

	Component SPEC Version Record	3
1	Scope	4
2	Product Identification	4
3	Appearance, Dimensions and Material	4
4	Testing Conditions	5
5	Electrical Characteristics	5
6	Reliability	6-8
7	Recommended Soldering Condition	9
8	Packaging	10
9	Visual inspection standard of product	11
10	Products Storage	11



# **Component SPEC Version Record**

Rev.	Effective Date	Changed Contents	Change Reasons	Approved By
V1.0	2019.12.08	New released	/	Remo
				53
		ential		
Ċ				



# 1. Scope

This specification applies to the AMPIT3012 series of SMD Power inductors.


#### 2. Product Identification

<u>AMPIT</u> <u>3012</u> - <u>100</u> <u>M</u> - <u>LF</u> <u>3</u> <u>4</u> <u>5</u>

- ① Product Symbol (Automotive electronics products)
- ② Dimensions
- ③ Inductance Value (1R0:1.0uH 100: 10uH 101: 100uH )
- ④ Inductance Tolerance (K:10%; M:20%; N:30%)
- (5) Lead-Free


# 3. Appearance, Dimensions and Material

3.1 Appearance and dimensions



Dimensions in mm							
А	В	С	D	Е	f	g	h
3.0±0.2	3.0±0.2	1.20 Max.	$1.2 \pm 0.2$	$0.90 \pm 0.2$	1.2Тур.	3.1 Тур.	2.7 Тур.

#### 3.2 Material List



No.	Item	Material
1	Core	Ni-Zn Ferrite
2	Wire	Enameled Copper Wire
3	Terminal Electrode	Ag/Ni/Sn/Cu
4	Magnetic Glue	Epoxy resin and magnetic powder



### 4. Testing Conditions

Unless otherwise specified, the standard conditions for measurement/test as: Ambient Temperature : 5 to  $35^{\circ}$ C Relative Humidity: 25 to 85% RH Atmospheric Pressure: 86 to 106 kPa

If any doubt on the results, measurements/tests should be made within the following limits: Ambient Temperature : 25±1 °C Relative Humidity: 60 to 70% RH Atmospheric Pressure: 86 to 106 kPa

#### 5. Electrical Characteristics And Test Instruments

Microgate Part No.	Inductance L (uH)	DCR(Ω)		Isat <sup>•1</sup> (A)		Irms <sup>•2</sup> (A)	
Microgate 1 art 140.	1MHz/1V	Max.	Тур.	Max.	Тур.	Max.	Тур.
AMPIT3012-R82M-LF	0.82±20%	0.039	0.030	2.40	2.60	2.60	3.30
AMPIT3012-1R0M-LF	1.0±20%	0.048	0.040	2.20	2.50	2.60	3.30
AMPIT3012-1R2M-LF	1.2±20%	0.048	0.040	1.85	2.15	2.25	2.60
AMPIT3012-1R5M-LF	1.5±20%	0.060	0.050	2.00	2.10	2.00	2.30
AMPIT3012-2R2M-LF	2.2±20%	0.075	0.062	1.40	1.65	1.85	2.10
AMPIT3012-3R3M-LF	3.3±20%	0.108	0.090	1.25	1.45	1.50	1.70
AMPIT3012-4R7M10-LF	4.7±20%	0.156	0.120	1.00	1.20	1.24	1.30
AMPIT3012-6R8M-LF	6.8±20%	0.210	0.175	0.90	1.05	1.05	1.15
AMPIT3012-100M-LF	10±20%	0.330	0.260	0.65	0.75	0.83	1.00
AMPIT3012-220M-LF	22±20%	0.588	0.490	0.40	0.45	0.50	0.60

#### Test instruments and remarks

- \* All test data is referenced to  $25^{\circ}$ C ambient.
- \* L test by CHROMA 3302 meter or equivalent.
- \* DCR test by Tonghui TH2516B meter or equivalent.
- \* CHROMA 3302 and 1320 meter for IDC.
- \* Isat: DC current (A) that will cause L0 to drop approximately 30%.
- \* Irms: DC current (A) that will cause an temperature rise  $\triangle T$  approximate to 40°C.
- \* The rated current as listed is either the saturation current or the heating current depending on which value is lower.
- \* Operating temperature:  $-40^{\circ}$ C to  $+125^{\circ}$ C (Including self-heating)
- \* The part temperature (ambient + temp rise) should not exceed 125°C under worse case operating conditions. Circuit design, component placement, PCB trace size and thickness, airflow and other cooling provision all affect the part temperature. Part temperature should be verified in the end application.



6/11

# 6. Reliability

No.	Item	Requirements	Test Methods and Remarks	Reference	Sample Size
1	Solderability	(1) Terminal area shall be at least 95% covered.	<ul> <li>①Temperature:240±5°C, flux 5-10 s.</li> <li>②Sample immersion tin furnace 3 ±1s.</li> <li>③Sn/3.0Ag/0.5Cu</li> </ul>	AEC-Q200 (J-STD-002)	15
2	Resistance to Soldering Heat	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	<ul> <li>① The peak temperature: 260+5/-0°C.</li> <li>② Reflow: 3 times.</li> <li>③ Temperature curve is as below:</li> <li>265℃</li> <li>217℃</li> <li>Max. Ramp Up Rate=3℃/s</li> <li>30 sec.</li> <li>30 sec.</li> <li>30 sec.</li> <li>4000℃</li> <li>400</li></ul>	AEC-Q200 (MIL-STD-202 Method 210)	30
3	High Temperature Storage	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	①Temperature: 150±2°C.         ②Time : 1000(+48,0) hours.         ③Measurement at 24±4 hours after test conclusion.         Temperature         150°C         Room         Temperature         150°C         Room         Temperature         1000H         Time	AEC-Q200 (MIL-STD -202 Method 108)	77
4	Low Temperature Storage	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	1) Temperature: $-55 \pm 2^{\circ}$ C. 2) Time : 1000(+48,0) hours. 3) Measurement at 24 ±4 hours after test conclusion. Room Temp. 1000H 0 -55 °C Low temperature Temp.		
5	Temperature Cycling	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	①First -55 °C for 30 minutes, last 150 °C 30 minutes as 1 cycle. Go through 1000 cycles ②Max transfer time is 20 second. ③Measurement at 24 ±4 hours after test conclusion. $150^{\circ}$ C 30 min. Ambient 30 min. Temperature -55 °C 30 min. 20 s (max.)	AEC-Q200 (JESD22-A104)	77



No.	Item	Requirements	Test Methods and Remarks	Reference	Sample Size
6	Resistance to Solvents	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	<ol> <li>Prepare solvent (isopropyl alcohol: kerosene: ethylbenzene =4:9:3 volume )</li> <li>Specimen be completely immersed in solvent for 3+0.5/-0min</li> <li>Brush dipped in solution until wetted and brush part 10 strokes .</li> <li>Repeat 2 more times, Air blow dry.</li> <li>Inspect at 3x magnifier for marking and 10x for part damage. Note: Add Aqueous wash chemical. OKEM Clean or equivalent. Do not use banned solvents.</li> </ol>	AEC-Q200 (MIL-STD-202 Method 215)	15
7	ESD	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	①HBM ESD discharge waveform,8KV	AEC-Q200 (AEC-Q200- 002)	15
8	Biased Humidity	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	<ol> <li>1000(+48,0) hours, 85 °C/85% RH.</li> <li>Unpowered.</li> <li>Measurement at 24±4 hours after test conclusion.</li> </ol>	AEC-Q200 (MIL-STD -202 Method 103)	77
9	Terminal Strength	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	1)The test samples shall be soldered to the board. (2)17.64N, 60±1s DUT Radius 0.5mm DUT Substrate Press tools Shear Force	AEC-Q200 (AEC-Q200-006)	30
10	Board Flex	(1) No case deformation or change in appearance. (2) $  \Delta L0/L0   \leq 10\%$	(1) Part mounted on a 100mm*40mm FR4 PCB board, which is $1.6 \pm 0.2$ mm thick and as a Layer-thickness $35 \ \mu\text{m} \pm 10 \ \mu\text{m}$ . (2) Bending speed is 1mm/s. (3) Keeping the P.C Board 2 mm minimum for 60 seconds.	AEC-Q200 (AEC-Q200-005)	30



8/11


No.	Item	Requirements	Test Methods and Remarks	Reference	Sample Size
11	Vibration	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	<ol> <li>Frequency range : 10~2000Hz.</li> <li>Amplitude: 1.5mm ,5g.</li> <li>Sweep time and duration: 10~2000~10Hz for 20 minutes.</li> <li>Each four hours(12 times) in X,Y,Z direction, 12 hours in total.</li> </ol>	AEC-Q200 (MIL-STD-202 Method 204)	30
12	Mechanical Shock	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	Half sine shock pulse, 100g, 6ms, 6 shocks in each 3 mutually perpendicular directions (total of 18 shocks)	AEC-Q200 (MIL-STD-202 Method 213)	30
13	Loading at High Temperature	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	<ul> <li>①Temperature: 150±2°C.</li> <li>②Time : 1000 (+48,0) hours.</li> <li>③Applied Current : Rated current.</li> <li>④Measurement at 24±4 hours after test conclusion.</li> </ul>	AEC-Q200 (MIL-PRF-27)	77
14	Loading at Damp Heat	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   ΔL0/L0   ≤10%</li> </ul>	<ol> <li>①Temperature: 60±2℃, Humidity: 90% to 95% RH.</li> <li>②Time : 1000 (+48,0) hours.</li> <li>③Applied Current : Rated current.</li> <li>④Measurement at 24±4 hours after test conclusion.</li> </ol>	AEC-Q200	77
15	Drop	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   △ L0/L0   ≤10%</li> </ul>	<ol> <li>Height: 1 m, Free fall, 10times.</li> <li>Direction: 1 Angle, 1side, 2surface.</li> </ol>	AEC-Q200	30
16	Flammability (External Flame)	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   △ L0/L0   ≤10%</li> </ul>	Method111/UL94	AEC-Q200	15
17	Random Vibration	<ul> <li>(1) No case deformation or change in appearance.</li> <li>(2)   △ L0/L0   ≤10%</li> </ul>	Three Times reflow pretreatment (reflow TMAX265 + 5 -0) vibration plate: "8 x 5" Printed Circuit Board, 0.031" thick, with 7 fixed points on the long side and 2 fixed points on the opposite side of the corner	AEC-Q200 (JESD22-B100)	30
18	Electrical Characterization	According to specification	Parametrically test per lot and sample size requirements, summary to show Min, Max, Mean and Standard deviation at room as well as Min and Max operating temperatures.	AEC-Q200 (User Spec.)	77

\*All above experiments items need 3 Lot., sample size is as specified in the table above. \*Sample size standard is from AEC-Q200 : qualification sample size requirements.



# 7. Recommended Soldering Conditions

(1) Reflow soldering conditions



\*Above reflow soldering curve is from J-STD-020D.

# (2) Iron soldering


The following conditions must be strictly followed when using a soldering iron.

Pre-heating	150℃ 1 minute
Tip temperature	350℃ max
Soldering iron output	30w max
End of soldering iron	ф1mm max
Soldering time	3 seconds max



# 8.Packaging


(1) Dimension of tape (Unit: mm)



W	A0	B0	K0	E	F	Р	P0	D0	Т	
8.0±0.3	3.30±0.1	3.30±0.1	1.35±0.1	1.75±0.1	3.5±0.05	4.0±0.1	4.0±0.1	1.5+0.1/-0.0	0.18±0.03	


m

(2) Dimension of reel (Unit: mm)




Symbol	Dimension
А	$178 \pm 2$
В	58±2
С	$13.5 \pm 0.2$
G	$9.0 \pm 0.5$

(3) Taping figure and drawing direction



- (4) Packaging quantities: 2000PCS/Reel.
- (5) Peeling strength of cover tape:
  - The peel force of top cover tape shall be between 0.1N to 1.0 N. \*the peel force standard is from EIA-481-D



Room Temp. ( $^{\circ}C$ )	Room Humidity (%)	Room aim (hpa)	Peel Speed mm/min
5-35	45-85	860-1060	300

SHENZHEN MICROGATE TECHNOLOGY CO., LTD.

Add: Microgate Smart Park, Technology Road, Zhukeng Community, Longtian Street, Pingshan District, Shenzhen.Tel: +86-755-28085000Fax: +86-755-28085605Postcode: 518122



9.	Visual	inspection	standard	of p	oroduct
----	--------	------------	----------	------	---------

No.	Defect Item	Graphic	Rejection identification	Acceptance
1	Core defect		1>L/6 or w>W/6, NG.	AQL=0.65
2	Missing resin		The area of missing resin more than single face, NG	AQL=0.65
3	Cold solder		L more than 1 mm, NG.	AQL=0.65
4	Solder uneven		H>0.1mm. NG.	AQL=0.65

#### **10. Products Storage**

(1) Storage period

Products which inspected in MICROGATE over 12 months ago should be examined and used, which can be confirmed with inspection No. marked on the container. Solderability should be checked if this period is exceeded.

(2) Storage conditions

Products should be storage in the warehouse on the following conditions:

Temperature: -10 ~+ 35 °C

Humidity: Less than 70% relative and humidity

No rapid change on temperature and humidity.

- (3) Don't keep products in corrosive gases such as sulfur, chlorine gas or acid, or it may cause oxidization of electrode, resulting in poor solderability.
- (4) Products should be storage on the palette for the prevention of the influence from humidity, dust and so on.
- (5) Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- (6) Products should be storage under the airtight packaged condition.